Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 453/2010 -Europe

Date of issue/ Date of revision

: 20-04-2015.

Date of previous issue

: No previous validation.



SAFETY DATA SHEET

OPTIVA COLOUR

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Product name : OPTIVA COLOUR

- Product code : C15-seria **Product description**

 - : Waterborne paint

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Painting work

1.3 Details of the supplier of the safety data sheet

Manufacturer or Distributor

Tikkurila Polska S.A. ul.Mościckiego 23 39-200 Debica Polska tel + 48 146 805 600 fax+ 48 146 805 601

e-mail address of person : pj@tikkurila.com responsible for this SDS

1.4 Emergency telephone number

Telephone number : 112 (24h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Classification according to Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

2.2 Label elements

| Signal word | No signal word. |
|-----------------------------|--|
| Hazard statements | No hazard statements. |
| Precautionary statements | |
| General | Not applicable. |
| Prevention | Not applicable. |
| Response | Not applicable. |
| Storage | Not applicable. |
| Disposal | Not applicable. |
| Supplemental label elements | Contains 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one and reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction. |

2.3 Other hazards

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures

: Mixture

| | | | Class | | |
|--|--|---------|---|---|-------|
| Product/ingredient name | Identifiers | % | 67/548/EEC | Regulation (EC) No. 1272/2008 [CLP] | Notes |
| 2-methyl-2H-isothiazol-3-one | EC: 220-239-6 CAS: 2682-20-4 | <0,1 | T; R23/24 Xn; R22 C; R34 R43 N; R50 | Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 | - |
| 1,2-benzisothiazol-3(2H)-one | EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6 | <0,05 | Xn; R22 Xi; R41, R38 R43 N; R50 | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 | - |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) | CAS: 55965-84-9 Index: 613-167-00-5 | <0,0015 | T; R23/24/25 C; R34 R43 N; R50/53 | Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 4, H332 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | - |
| | | | See Section 16 for the full text of the R-phrases declared above. | See Section 16 for the full text of the H statements declared above. | |

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Notes, if applicable, refer to Notes given in Annex VI of 1272/2008/EC.

SECTION 4: First aid measures

4.1 Description of first aid measures

| General | : In all cases of doubt, or when symptoms persist, seek medical attention. Show this safety data sheet or label to the doctor if possible. |
|--------------|--|
| Eye contact | : Check for and remove any contact lenses. Immediately flush eyes with plenty of lukewarm water, keeping eyelids open. Continue to rinse for at least 10 minutes. |
| Inhalation | : Remove to fresh air. |
| Skin contact | Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. |
| Ingestion | If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious). If significant amounts have been swallowed or if symptoms persist, seek medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

| Date of issue/Date of revision | 20-04-2015. Date of previous issue | No previous validation. | OPTIVA COLOUR |
|--|---------------------------------------|----------------------------|------------------------------|
| Contains: | | | |
| 1,2-benzisothiazol-3(2H)-one mixture of: 5-chloro-2-methyl- | 4-isothiazolin-3-one [EC no. 247-500- | -71 and 2-methyl- | -2H -isothiazol-3-one IEC no |
| 220-239-6] (3:1) | | | |

2-methyl-2H-isothiazol-3-one May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed

None.

| SECTION 5: Firefighting measures | | | | |
|---|--|--|--|--|
| 5.1 Extinguishing media | | | | |
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. Recommended: Alcohol resistant foam, CO ₂ , powders or water spray/mist. | | | |
| Unsuitable extinguishing media | : Do not use a direct water jet that could spread the fire. | | | |
| 5.2 Special hazards arising f | rom the substance or mixture | | | |
| Hazards from the substance or mixture: This product is not classified as flammable. Fire will produce dense black smo Exposure to decomposition products may cause a health hazard. | | | | |
| Hazardous thermal decomposition products | When exposed to high temperatures, may produce hazardous decomposition products, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc. | | | |
| 5.3 Advice for firefighters | | | | |
| Special protective actions for fire-fighters | : Use water spray to keep fire-exposed containers cool. Do not release runoff from fire to drains or watercourses. | | | |
| Special protective equipment for fire-fighters | : Appropriate breathing apparatus may be required. | | | |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8. |
|---|---|
| 6.2 Environmental precautions | : Do not allow to enter drains, water courses or soil. |
| 6.3 Methods and materials for containment and cleaning up | : Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Preferably clean with water or detergent. Avoid using solvents. |
| 6.4 Reference to other sections | : See Section 1 for emergency contact information. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

| 7.1 Precautions for safe handling | : Avoid contact with skin and eyes. Avoid breathing vapor. Avoid inhalation of dust from sanding. See Section 8 for information on appropriate personal protective |
|--------------------------------------|--|
| nanunng | equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored. Wash hands before breaks and immediately after |
| | handling the product. |

| Date of issue/Date of revision | 20-04-2015. Date of previous issue Vo previous Validation. | |
|--|---|--------------------------------|
| 7.2 Conditions for safe storage, including any incompatibilities | : Store in original container protected from direct sunlight in a dry, cool an ventilated area, away from incompatible materials (see Section 10) and drink. Keep container tightly closed. Containers that have been opened carefully resealed and kept upright to prevent leakage. Recommended temperature is +5°C+25°C. Do not allow to freeze. Store in accordance regulations. | food and must be storage |
| 7.3 Specific end use(s) | : None. | |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

procedures

Recommended monitoring : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Comply with the health and safety at work laws.

Individual protection measures

| Eye/face protection | : Safety eyewear should be used when there is a likelihood of exposure. |
|------------------------|---|
| Hand protection | Wear protective gloves. Gloves should be replaced regularly and if there is any sign of damage to the glove material. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Recommended glove material (EN374): > 8 hours (breakthrough time): nitrile rubber Not recommended: PVA gloves |
| Skin protection | : Wear appropriate personal protective clothing to prevent skin contact. |
| Respiratory protection | : A respirator is not needed under normal and intended conditions of product use. Wear a respirator with type P2 filter during sanding (EN149:2001). Be sure to use an approved/certified respirator or equivalent. Check that mask fits tightly and change filter regularly. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance **Physical state** : Liquid. Color : Various Odor : Mild. : Not relevant for the hazard assessment of the product. **Odor threshold** pН : Not relevant for the hazard assessment of the product. Melting point/freezing point : 0°C (water) Initial boiling point and : 100°C (water) boiling range Flash point : Closed cup: Not applicable. **Evaporation rate** : Not relevant due to the nature of the product.

| Date of issue/Date of revision | 20-04-2015. Date of previous issue | No previous validation. | OPTIVA COLOUR | |
|---|------------------------------------|----------------------------|---------------|--|
| Flammability (solid, gas) | : Not applicable. Product is a li | quid. | | |
| Upper/lower flammability or explosive limits | : No flammable ingredients pre | esent. | | |
| Vapor pressure | : 3,2 kPa [room temperature] (| water) | | |
| Vapor density | : Not relevant for the hazard as | ssessment of the p | product. | |
| Density | : <1,4 g/cm³ | | | |
| Solubility(ies) | : Miscible in water. | | | |
| Partition coefficient: n-octanol | / : Not available. | | | |
| Auto-ignition temperature | : Not relevant due to the nature | e of the product. | | |
| Decomposition temperature | : Not relevant for the hazard as | ssessment of the p | product. | |
| Viscosity | : Not relevant for the hazard as | ssessment of the p | product. | |
| Explosive properties | : No explosive ingredients pres | sent. | | |
| Oxidizing properties | : No oxidizing ingredients pres | ent. | | |

9.2 Other information

No additional information.

| SECTION 10: Stability and reactivity | | |
|--|--|--|
| 10.1 Reactivity | : See Section 10.5. | |
| 10.2 Chemical stability | : Stable under recommended storage and handling conditions (see Section 7). | |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. | |
| 10.4 Conditions to avoid | : Avoid extreme heat and freezing. | |
| 10.5 Incompatible materials | : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents strong acids strong alkalis | |
| 10.6 Hazardous decomposition products | : When exposed to high temperatures, hazardous decomposition products may be produced, such as carbon monoxide and dioxide, smoke, oxides of nitrogen etc. | |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

There is no testdata available on the product itself.

The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

Long term exposure by inhalation may cause respiratory tract irritation. Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis.

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|--|-----------|---------|------------|----------|
| 1,2-benzisothiazol-3(2H)- one | LD50 Oral | Rat | 1020 mg/kg | - |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin- 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC no. 220-239-6] (3: 1) | LD50 Oral | Rat | 53 mg/kg | - |

Not classified.

Irritation/Corrosion

| Date of issue/Date of revision | 20-04-2015. Date of previous issue | No previous validation. | OPTIVA COLOUR |
|---|--|----------------------------|---------------|
| Not classified. | | | |
| Sensitization | | | |
| which may produce an allergi 1,2-benzisothiazol-3(2H)-one | as sensitizing by skin contact, but it co c reaction: -4-isothiazolin-3-one [EC no. 247-500- | - | |
| Not classified. | | | |
| Carcinogenicity | | | |
| Not classified. | | | |
| Reproductive toxicity | | | |
| Not classified. | | | |
| Teratogenicity | | | |
| Not classified. | | | |
| Specific target organ toxici | ty (single exposure) | | |
| Not classified. | | | |
| Specific target organ toxici | ty (repeated exposure) | | |
| Not classified. | | | |
| Aspiration hazard | | | |
| Not classified. | | | |

SECTION 12: Ecological information

Ecological testing has not been conducted on this product. Do not allow to enter drains, water courses or soil.

The product is not classified as environmentally hazardous according to Regulation (EC) 1272/2008.

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|------------------------------|--------------------------------|----------------------------|----------|
| 1,2-benzisothiazol-3(2H)-one | Acute LC50 1,6 ppm Fresh water | Fish - Oncorhynchus mykiss | 96 hours |

| 12.2 Persistence and degradability | No specific data. |
|------------------------------------|---------------------|
| 12.3 Bioaccumulative potential | : No specific data. |

| 12.4 Mobility in soil | |
|---|------------------|
| Soil/water partition coefficient (Koc) | : Not available. |
| Mobility | : Not available. |

| 12.5 Results of PBT and vPvB assessment | | | |
|---|-------------------|--|--|
| PBT | : Not applicable. | | |
| vPvB | : Not applicable. | | |
| 12.6 Other adverse effects | : Not available. | | |

No previous validation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

```
Methods of disposal
```

: Remove as much product as possible from the tools before cleaning. Liquid residue must not be emptied into drains or sewage system, but handled in accordance with national regulations. Product residues should be left at special companies which have permission for gathering this kind of wastes.

European waste catalogue (EWC)

| Waste code | Waste designation |
|------------|--|
| 08 01 12 | waste paint and varnish other than those mentioned in 08 01 11 |

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

Packaging

| Methods of disposal | : | Empty packaging should be recycled or disposed of in accordance with national |
|---------------------|---|---|
| | | regulations. |

Special precautions

: No additional information.

SECTION 14: Transport information

This product is not regulated for carriage according to ADR/RID, IMDG.

| | ADR/RID | IMDG |
|------------------------------------|----------------|----------------|
| 14.1 UN number | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - |
| 14.3 Transport hazard class(es) | - | - |
| 14.4 Packing group | - | - |
| 14.5 Environmental hazards | No. | No. |
| Additional information | - | - |

: Not available.

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No previous validation.

SECTION 15: Regulatory information

| 15.1 Safety, health and envi | ronmental regulations/legislation specific for the substance or mixture | | | |
|------------------------------|--|--|--|--|
| EU Regulation (EC) No. 19 | 07/2006 (REACH) | | | |
| Other EU regulations | | | | |
| Europe inventory | : Not determined. | | | |
| VOC Directive | : This product is in scope of Directive 2004/42/CE. | | | |
| 15.2 Chemical Safety | : This product contains substances for which Chemical Safety Assessments are still | | | |
| Assessment | required. | | | |
| SECTION 16: Other | information | | | |
| Indicates information that | has changed from previously issued version. | | | |
| Abbreviations and | : ATE = Acute Toxicity Estimate | | | |
| acronyms | CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. | | | |
| | 1272/2008] DMEL = Derived Minimal Effect Level | | | |
| | DNEL = Derived Millinia Ellect Level | | | |
| | EUH statement = CLP-specific Hazard statement | | | |
| | PBT = Persistent, Bioaccumulative and Toxic | | | |
| | PNEC = Predicted No Effect Concentration | | | |
| | RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative | | | |
| Procoduro usad to dorivo th | ne classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] | | | |
| | ification Justification | | | |
| | Justification | | | |
| Not classified. | | | | |
| Full text of abbreviated H | : H301 Toxic if swallowed. | | | |
| statements | H302 Harmful if swallowed. H311 Toxic in contact with skin. | | | |
| | H314 Causes severe skin burns and eye damage. | | | |
| | H315 Causes skin irritation. | | | |
| | H317 May cause an allergic skin reaction. | | | |
| | H318 Causes serious eye damage. | | | |
| | H330 Fatal if inhaled. H332 Harmful if inhaled. | | | |
| | H400 Very toxic to aquatic life. | | | |
| | H410 Very toxic to aquatic life with long lasting effects. | | | |
| | H411 Toxic to aquatic life with long lasting effects. | | | |
| Full text of classifications | : Acute Tox. 2, H330 ACUTE TOXICITY (inhalation) - Category 2 | | | |
| [CLP/GHS] | Acute Tox. 3, H301 ACUTE TOXICITY (oral) - Category 3 | | | |
| | Acute Tox. 3, H311 ACUTE TOXICITY (dermal) - Category 3 | | | |
| | Acute Tox. 4, H302 ACUTE TOXICITY (oral) - Category 4 Acute Tox. 4, H332 ACUTE TOXICITY (inhalation) - Category 4 | | | |
| | Aquatic Acute 1, H400 AQUATIC HAZARD (ACUTE) - Category 1 | | | |
| | Aquatic Chronic 1, H410 AQUATIC HAZARD (LONG-TERM) - Category 1 | | | |
| | Aquatic Chronic 2, H411 AQUATIC HAZARD (LONG-TERM) - Category 2 | | | |
| | Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category | | | |
| | Skin Corr. 1B, H314 SKIN CORROSION/IRRITATION - Category 1B | | | |
| | Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2 Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1 | | | |
| Full text of abbreviated R | : R23/24- Toxic by inhalation and in contact with skin. | | | |
| ohrases | R23/24/25- Toxic by inhalation, in contact with skin and if swallowed. | | | |
| | R22- Harmful if swallowed. | | | |
| | R34- Causes burns. | | | |
| | R41- Risk of serious damage to eyes. | | | |
| | R38- Irritating to skin. | | | |
| | R43- May cause sensitization by skin contact. R50- Very toxic to aquatic organisms. | | | |
| | R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in | | | |
| | the aquatic environment. | | | |

| Date of issue/Date of revision | 20-04-2015. Date of previous issue | No previous validation. | OPTIVA COLOUR | |
|---|---|----------------------------|---------------|--|
| Full text of classifications [DSD/DPD] | : T - Toxic C - Corrosive Xn - Harmful Xi - Irritant N - Dangerous for the environmer | nt | | |
| Date of issue/ Date of revision | : 20-04-2015. | | | |
| Date of previous issue | : No previous validation. | | | |
| Version | : 1 | | | |
| | | | | |

Notice to reader

This Safety Data Sheet is prepared in accordance with Annex II (EU) No 453/2010 to Regulation (EC) No 1907/2006 (REACH). The information contained in this Safety Data Sheet is based on the present state of knowledge and current EU and national legislation. It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.